Confirmation no. 1598

## Amendments to the Claims:

A listing of the entire set of pending claims (including amendments to the claims, if any) is submitted herewith per 37 CFR 1.121. This listing of claims will replace all prior versions, and listings, of claims in the application.

## Listing of Claims:

 (Currently Amended) A rewritable optical record carrier comprising a recording stack of layers in the following order:

a first dielectric layer having a thickness at a first amorphous reflection minimum;

a recording layer comprising a phase-change recording material;

a second dielectric layer; and

a mirror layer deposited onto the second dielectric layer side of the recording stack,

eharacterized in that wherein a thermal barrier layer is arranged adjacent to said first dielectric layer opposite the mirror layer to reduce heat dissipation eminating from the recording layer and passing through the first dielectric layer thus allowing the thickness of the first dielectric layer to be chosen at said first amorphous reflection minimum, and

wherein light entering the stack penetrates the thermal barrier layer, the first and second dielectric layers and the recording layer.

2. (Currently Amended) The rewritable optical record carrier as claimed in claim 1, eharacterized in that wherein the rewritable optical record carrier further comprises a substrate carrying said stack of layers having said thermal barrier layer arranged between said first dielectric layer and said substrate. Appl. No. 10/538,333 Amendment and/or Response Reply to Office action of 5 August 2009

Confirmation no. 1598

3. (Currently Amended) The rewritable optical record carrier as claimed in claim 2.

eharacterized in that wherein the refraction index of said thermal barrier layer is close to the

refraction index of said substrate.

4. (Currently Amended) The rewritable optical record carrier as claimed in claim 1,

characterized in that wherein the rewritable optical record carrier further comprises a cover

layer attached to said thermal barrier layer.

5. (Currently Amended) The rewritable optical record carrier as claimed in claim 4,

<del>characterized in that</del>-wherein the refraction index of said thermal barrier layer is close to the

refraction index of said cover layer.

6. (Currently Amended) The rewritable optical record carrier as claimed in claim 2,

eharacterized in that-wherein said substrate material is polycarbonate or PMMA.

7. (Currently Amended) The rewritable optical record carrier as claimed in claim 4,

characterized in that wherein said cover layer material is polycarbonate or transparent

polymer resin.

8. (Currently Amended) The rewritable optical record carrier as claimed in claim 1.

characterized in that wherein said thermal barrier layer material comprises SiO<sub>2</sub> or Al<sub>2</sub>O<sub>3</sub> as

a major component.

Appl. No. 10/538,333 Amendment and/or Response Reply to Office action of 5 August 2009

Confirmation no. 1598

9. (Currently Amended) The rewritable optical record carrier as claimed in claim 1.

 $\underline{\text{characterized in that-}\underline{\text{wherein}}} \ \text{said first and second dielectric layer materials comprise one of}$ 

the following components or a mixture thereof: ZnS, SiO<sub>2</sub>, Si<sub>3</sub>N<sub>4</sub>, Al<sub>2</sub>O<sub>3</sub> or Ta<sub>2</sub>O<sub>5</sub>.

10. (Currently Amended) The rewritable optical record carrier as claimed in claim 1.

characterized in that wherein said phase-change recording material comprises a mixture of

Ge, In, Sb, and Te.

11. (New) The rewritable optical record carrier as claimed in claim 1, wherein said first

dielectric layer thickness d1 can be represented as:

$$d_1 = (m*\lambda)/(2*n)$$

where m is an integer,  $\boldsymbol{\lambda}$  denotes the wavelength of the laser light, and n is the

refractive index of the first dielectric layer material.

12. (New) The rewritable optical record carrier as claimed in claim 11, wherein said

amorphous and a crystalline reflection has minimum and maximum levels at certain d<sub>1</sub> values.

13. (New) The rewritable optical record carrier as claimed in claim 12, wherein said

amorphous reflection has a minimum level at a d<sub>1</sub> value when m=1.